DiaLOG Fuel Management System











The DiaLOG fuel management system allows you to control your fuel more effectively. It is a proven solution that has been designed for fleet and commercial companies of all sizes. DiaLOG is a browser-based platform that lets you manage your fuel and equipment from any computer without the need to install software. For the DiaLOG hardware you can select a standalone terminal to control multiple dispensers or opt for a fuel management system (FMS) integrated Quantium 110 or 210 fuel dispenser solution.

"High professional standards matter to us, because they matter to you. Backed up by a global organisation, Tokheim's experienced, local representatives are there with you every step of the way."

SlimDiaLOG at a glance **Design** With a sleek and contemporary design, SlimDiaLOG has one of the industry's smallest footprints. Both the standalone and dispenser integrated models are housed in robust frames with protectivecoated panels that provide long-lasting Display life, in the harshest conditions. Tokheim's two line display provides a crisp display of digital characters and units. This multi-language display provides enhanced functionality in **Authorisation** any lighting conditions. Vehicle and driver identification by contactless tags, magnetic cards, electronic keys or through SmartFuel, our automatic vehicle identification solution. A robust alphanumerickeypad allows for additional information input such as PIN codes, mileage and hours. **Printer** As an option, the SlimDiaLOG can be delivered with the industry's largest paper roll for issuing receipts. It lasts up to 4 times longer than the paper roll of other FMS suppliers so it runs for longer without the need for constant replacement. **DiaLOG**

Our DiaLOG Range



Quantium 110 DiaLOG

The solution for basic fuelling requirements. The Q110D supports one product and one or two hoses (standard flow and high flow).



Quantium 210 DiaLOG

Our feature-rich commercial fuel dispenser that comes with more options and flexibility than the Q110D. The Q210D supports up to two products and two hoses.



SlimDiaLOG

A powerful, standalone fuel management system that connects to up to 16 applications on a fuelling station including multiple dispensers, access gates, car wash and more. A robust housing unit ensures it continues to perform in the harshest of conditions.





User-friendly web application

DiaLOG is a powerful management tool with an easy-to-use layout that allows users to have access to all fuelling data using a standard web browser. This means you don't need to install software to run DiaLOG.







A smarter system for better fuel management

DiaLOG's easy-to-use software provides useful tools to help you manage your fuel day-to-day. You can view stock levels, know the status of your equipment, set-up alerts, and review all the transactions that have taken place onsite.



DiaLOG

Technical Specifications*

Terminal components

- Microprocessor board with web server and dispenser connections; EIN protocol for Tokheim dispensers or RS-485 connection for 3rd party dispensers equipped with appropriate distribution kit
- · Keyboard; numeric with function keys
- Display with 2 lines of 20 characters; user language on display is selectable, the current fuel delivery is shown
- RFID reader; 125 kHz technology
- Data storage on SD card with local backup on USB stick
- Connection via TCP/IP ethernet to local network
- Weather protection case IP65

Optional peripherals

- Full alphabetic keypad
- · Alternative RFID readers
- Other reader technologies (e.g. ISO2 magnetic card, Dallas key, automatic vehicle identification)
- Wi-Fi bridges to replace cable link
- GPRS modem for remote control where ADSL is not available
- Tank level gauge systems
- Oil management system (connection via pulses)
- Specific box to drive gates or carwash systems
- Ticket printer (MID configurations excluded)

Tokheim Worldwide



Contact

Corporate Headquarters Tokheim Group

Paris Nord 2 35, Allée des Impressionnistes Immeuble Le Cézanne 93420 Villepinte

Tel: +33 (0)1 49 90 77 00 Fax: +33 (0)1 49 90 77 77

Further information

For any further information and detailed contacts for each country, please visit our website at www.tokheim.com/profleet or email us at profleet@tokheim.com.

*As Tokheim regularly improves its products and services in line with evolving market and regulatory requirements, it reserves the right to change any of the specifications of these products and services, and this document without prior notice.